



**SSH Cross Reference  
Was PSSHCO**

## **G&L Series SSH Product Number Crossover**

This book is a cross reference manual only.

Prices in this book are no longer valid.

# SSH Group Product Code Conversion

## Objective:

- This book provides the crossover from standard product built before September 1, 2006 to the new number.
- Special note: There are now four digits to define the driver instead of three. The "A" has been dropped from the 9ASH, 10ASH and 11ASH. There are no mechanical changes related to this numbering change.

## Conversion:

The old and new numbering systems are defined within this book.

## Timing:

The effective date for this conversion was units built after September 1, 2006.

## Orders/Inventory

There are no mechanical changes related to this numbering change.  
No rework or relabeling of existing inventory is required.

# *Table of Contents*

---

SSH-C, S-Group, Numbering System Before 09/01/2006 .....	1
SSH-C, S-Group, Numbering System After 08/31/2006 .....	2
SSH-C, S-Group, 3500 RPM Models .....	3
SSH-C, S-Group, 1750 RPM Models .....	4
SSH-F, S-Group .....	5
SSH-C, M-Group, Numbering System Before 09/01/2006 .....	6
SSH-C, M-Group, Numbering System After 08/31/2006 .....	7
SSH-C, M-Group 3500 RPM Models .....	8
SSH-C, M-Group 1750 RPM Models .....	9
SSH-F, M-Group .....	10

9A SH 1 G 1 E 0

**MECHANICAL SEAL and O-RING**

0 = Standard

For Optional Mechanical Seal modify catalog order no. with Seal code listed below.

Type 21 Mechanical Seal						
Seal Code	Rotary	Stationary	Elastomers	Metal Parts	Part No.	List Price Adder
0	Carbon	Sil-Carbide	Viton	316 S.S.	10K27	Standard
2			EPR		10K19	\$50.00
5	Sil-Carbide	Viton	10K64		150.00	

Note: 10K27 Replaces obsolete 10K25 & 10K13

**IMPELLER OPTION CODE...**

For Optional Impeller Diameters modify catalog order no. with Impeller code listed below.

Selection must be within motor service factor @ curve end.

Impeller Code	9ASH 1 x 2-6 Diameter	10ASH 1 x 2-8 Diameter	11ASH 1 x 2-10 Diameter	4SH 1½ x 2½ -6 Diameter	7SH 1½ x 2½ -8 Diameter	5SH 2 x 2½ -6 Diameter	8SH 2 x 2½ -8 Diameter	6SH 2½ x 3 -6 Diameter
A	6⅝	8 <sup>27</sup> / <sub>64</sub>	10 <sup>3</sup> / <sub>32</sub>	6¾	8¼	6⅞	8¼	7 <sup>5</sup> / <sub>16</sub>
B	6 <sup>7</sup> / <sub>16</sub>	8 <sup>1</sup> / <sub>16</sub>	9 <sup>17</sup> / <sub>32</sub>	6⅞	7 <sup>19</sup> / <sub>16</sub>	6 <sup>7</sup> / <sub>16</sub>	7¾	7⅞
C	5 <sup>11</sup> / <sub>16</sub>	7 <sup>11</sup> / <sub>16</sub>	9⅞	6 <sup>1</sup> / <sub>16</sub>	7	5 <sup>19</sup> / <sub>16</sub>	7½	6 <sup>15</sup> / <sub>16</sub>
D	5⅝	7⅞	8¾	5⅝	6¾	5½	7 <sup>1</sup> / <sub>16</sub>	6 <sup>1</sup> / <sub>16</sub>
E		7⅞		5 <sup>5</sup> / <sub>16</sub>	6 <sup>7</sup> / <sub>16</sub>	5⅞	6 <sup>7</sup> / <sub>8</sub>	6 <sup>3</sup> / <sub>8</sub>
F				4 <sup>11</sup> / <sub>16</sub>	6⅞	4 <sup>13</sup> / <sub>16</sub>	6 <sup>3</sup> / <sub>16</sub>	6 <sup>1</sup> / <sub>16</sub>
G				4⅜		4 <sup>7</sup> / <sub>16</sub>		5⅝
H				4 <sup>3</sup> / <sub>16</sub>				
J				3⅞				

**DRIVER**

- 1 = 1 PH, ODP
- 2 = 3 PH, ODP
- 3 = 3 PH 575 V, ODP
- 4 = 1 PH, TEFC
- 5 = 3 PH, TEFC
- 6 = 3 PH 575 V, TEFC
- 7 = 3 PH, EXP
- 8 = 3 PH 575 V, EXP
- 9 = 3 PH, TEFC Premium Eff.
- 0 = 1 PH, EXP

**HP RATING**

- C = ½ HP
- D = ¾ HP
- E = 1 HP
- F = 1½ HP
- G = 2 HP
- H = 3 HP
- J = 5 HP
- K = 7½ HP
- L = 10 HP
- M = 15 HP
- N = 20 HP
- P = 25 HP

**DRIVER: HERTZ/POLE/RPM**

- 1 = 60 HZ, 2 pole, 3500 RPM
- 2 = 60 HZ, 4 pole, 1750 RPM
- 3 = 60 HZ, 6 pole, 1150 RPM
- 4 = 50 HZ, 2 pole, 2900 RPM
- 5 = 50 HZ, 4 pole, 1450 RPM

**MATERIAL**

SH = 316L Stainless steel

**PUMP SIZE**

- 9A = 1 x 2-6
- 10A = 1 x 2-8
- 11A = 1 x 2-10
- 4 = 1½ x 2½ -6
- 7 = 1½ x 2½ -8
- 5 = 2 x 2½ -6
- 8 = 2 x 2½ -8
- 6 = 2½ x 3 -6

For frame mounted version, substitute the letters "FRM" in these positions.

Note: Not recommended for operation beyond printed H-Q curve.

For critical application conditions consult factory.

Note: Not all combinations of motor, impeller and seal options are available for every pump model. Please check with G&L pumps on non-cataloged numbers.

9 SH 1 G 1 2 E 0

**MECHANICAL SEAL and O-RING**

0 = Standard

For Optional Mechanical Seal modify catalog order no. with Seal code listed below.

Type 21 Mechanical Seal						
Seal Code	Rotary	Stationary	Elastomers	Metal Parts	Part No.	List Price Adder
0	Carbon	Sil-Carbide	Viton	316 S.S.	10K27	Standard
2			EPR		10K19	\$50.00
5	Sil-Carbide	Viton	10K64		150.00	

Note: 10K27 Replaces obsolete 10K25 & 10K13

**IMPELLER OPTION CODE...**

For Optional Impeller Diameters modify catalog order no. with Impeller code listed below.

Selection must be within motor service factor @ curve end.

Impeller Code	9SH 1 x 2-6 Diameter	10SH 1 x 2-8 Diameter	11SH 1 x 2-10 Diameter	4SH 1½ x 2½ -6 Diameter	7SH 1½ x 2½ -8 Diameter	5SH 2 x 2½ -6 Diameter	8SH 2 x 2½ -8 Diameter	6SH 2½ x 3 -6 Diameter
A	6⅝	8 <sup>27</sup> / <sub>64</sub>	10 <sup>3</sup> / <sub>32</sub>	6¾	8¼	6⅞	8¼	7 <sup>5</sup> / <sub>16</sub>
B	6 <sup>7</sup> / <sub>16</sub>	8 <sup>1</sup> / <sub>16</sub>	9 <sup>17</sup> / <sub>32</sub>	6⅞	7 <sup>19</sup> / <sub>16</sub>	6 <sup>7</sup> / <sub>16</sub>	7¾	7⅞
C	5 <sup>11</sup> / <sub>16</sub>	7 <sup>11</sup> / <sub>16</sub>	9⅞	6 <sup>1</sup> / <sub>16</sub>	7	5 <sup>19</sup> / <sub>16</sub>	7½	6 <sup>15</sup> / <sub>16</sub>
D	5⅝	7⅞	8¾	5⅝	6¾	5½	7 <sup>7</sup> / <sub>16</sub>	6 <sup>11</sup> / <sub>16</sub>
E		7⅞		5 <sup>5</sup> / <sub>16</sub>	6 <sup>7</sup> / <sub>16</sub>	5⅞	6 <sup>7</sup> / <sub>8</sub>	6 <sup>3</sup> / <sub>8</sub>
F				4 <sup>11</sup> / <sub>16</sub>	6⅞	4 <sup>19</sup> / <sub>16</sub>	6 <sup>3</sup> / <sub>16</sub>	6 <sup>1</sup> / <sub>16</sub>
G				4⅜		4 <sup>7</sup> / <sub>16</sub>		5⅞
H				4 <sup>3</sup> / <sub>16</sub>				
J				3⅞				

**DRIVER ENCLOSURE**

1 = ODP

2 = TEFC

3 = Explosion Proof

4 = ODP Premium Eff.

5 = TEFC Premium Eff.

6 = Explosion Proof Premium Eff.

7 = Wash down

**VOLTAGE RATING**

1 = 115/208-230

2 = 115/230

3 = 230

4 = 230/460

5 = 208-230/460

6 = 460

7 = 575

9 = 208-230

A = 190/380-415

**HP RATING**

C = ½ HP

D = ¾ HP

E = 1 HP

F = 1½ HP

G = 2 HP

H = 3 HP

J = 5 HP

K = 7½ HP

L = 10 HP

M = 15 HP

N = 20 HP

P = 25 HP

**DRIVER: Phase/Hertz/RPM**

1 = 1 Ph, 60 Hz, 3500 RPM

2 = 3 Ph, 60 Hz, 3500 RPM

3 = 1 Ph, 60 Hz, 1750 RPM

4 = 3 Ph, 60 Hz, 1750 RPM

5 = 1 Ph, 50 Hz, 2900 RPM

6 = 3 Ph, 50 Hz, 2900 RPM

**MATERIAL**

SH = 316L Stainless steel

**PUMP SIZE**

9 = 1 x 2-6

10 = 1 x 2-8

11 = 1 x 2-10

4 = 1½ x 2½ -6

7 = 1½ x 2½ -8

5 = 2 x 2½ -6

8 = 2 x 2½ -8

6 = 2½ x 3 -6

For frame mounted version, substitute the letters "FRM2" in these positions.

Note: Not recommended for operation beyond printed H-Q curve.

For critical application conditions consult factory.

Note: Not all combinations of motor, impeller and seal options are available for every pump model. Please check with G&L pumps on non-cataloged numbers.

**SSH-C, Close-Coupled S-Group, 3500 RPM Models 2-25 HP, 60 Hz, 1.15 SF**

Model/Size	HP	Stock Impeller Dia. (Inches)	Single-Phase			
			ODP		TEFC	
			Old Code	New Code	Old Code	New Code
1 x 2 -6	3	5 <sup>3</sup> / <sub>8</sub>	9ASH1H1D0	9SH1H21D0	9ASH1H4D0	9SH1H12D0
		5 <sup>11</sup> / <sub>16</sub>	9ASH1H1C0	9SH1H21C0	9ASH1H4C0	9SH1H12C0
	5	6 <sup>7</sup> / <sub>16</sub>	9ASH1J1B0	9SH1J91B0	9ASH1J4B0	9SH1J32B0
1 x 2 -8	7 <sup>1</sup> / <sub>2</sub>	6 <sup>5</sup> / <sub>8</sub>	9ASH1J1A0	9SH1J91A0	9ASH1J4A0	9SH1J32A0
		7 <sup>1</sup> / <sub>8</sub>	10ASH1K1E0	10SH1K91E0	10ASH1K4E0	10SH1K32E0
		7 <sup>3</sup> / <sub>8</sub>	10ASH1K1D0	10SH1K91D0	10ASH1K4D0	10SH1K32D0
	10	7 <sup>11</sup> / <sub>16</sub>	10ASH1K1C0	10SH1K91C0	10ASH1K4C0	10SH1K32C0
		8 <sup>1</sup> / <sub>16</sub>	10ASH1L1B0	10SH1L91B0	10ASH1L4B0	10SH1L32B0
		8 <sup>27</sup> / <sub>64</sub>	10ASH1L1A0	10SH1L91A0	10ASH1L4A0	10SH1L32A0
1 <sup>1</sup> / <sub>2</sub> x 2 <sup>1</sup> / <sub>2</sub> -6	2	4 <sup>3</sup> / <sub>16</sub>	4SH1G1H0	4SH1G11H0	4SH1G4H0	4SH1G12H0
	3	4 <sup>11</sup> / <sub>16</sub>	4SH1H1F0	4SH1H21F0	4SH1H4F0	4SH1H12F0
	5	5 <sup>5</sup> / <sub>8</sub>	4SH1J1D0	4SH1J91D0	4SH1J4D0	4SH1J32D0
	7 <sup>1</sup> / <sub>2</sub>	6 <sup>3</sup> / <sub>8</sub>	4SH1K1B0	4SH1K91B0	4SH1K4B0	4SH1K32B0
	10	6 <sup>3</sup> / <sub>4</sub>	4SH1L1A0	4SH1L91A0	4SH1L4A0	4SH1L32A0
1 <sup>1</sup> / <sub>2</sub> x 2 <sup>1</sup> / <sub>2</sub> -8	7 <sup>1</sup> / <sub>2</sub>	6 <sup>7</sup> / <sub>16</sub>	7SH1K1E0	7SH1K91E0	7SH1K4E0	7SH1K32E0
	10	7	7SH1L1C0	7SH1L91C0	7SH1L4C0	7SH1L32C0
2 x 2 <sup>1</sup> / <sub>2</sub> -6	5	4 <sup>7</sup> / <sub>16</sub>	5SH1J1G0	5SH1J91G0	5SH1J4G0	5SH1J32G0
	7 <sup>1</sup> / <sub>2</sub>	5 <sup>1</sup> / <sub>8</sub>	5SH1K1E0	5SH1K91E0	5SH1K4E0	5SH1K32E0
	10	5 <sup>13</sup> / <sub>16</sub>	5SH1L1C0	5SH1L91C0	5SH1L4C0	5SH1L32C0
6 <sup>3</sup> / <sub>16</sub>		8SH1L1F0	8SH1L91F0	8SH1L4F0	8SH1L32F0	
2 <sup>1</sup> / <sub>2</sub> x 3 -6		5 <sup>5</sup> / <sub>8</sub>	6SH1L1G0	6SH1L91G0	6SH1L4G0	6SH1L32G0

Model/Size	HP	Stock Impeller Dia. (Inches)	Three-Phase			
			ODP		TEFC	
			Old Code	New Code	Old Code	New Code
1 x 2 -6	3	5 <sup>3</sup> / <sub>8</sub>	9ASH1H2D0	9SH2H51D0	9ASH1H5D0	9SH2H52D0
		5 <sup>11</sup> / <sub>16</sub>	9ASH1H2C0	9SH2H51C0	9ASH1H5C0	9SH2H52C0
	5	6 <sup>7</sup> / <sub>16</sub>	9ASH1J2B0	9SH2J51B0	9ASH1J5B0	9SH2J52B0
1 x 2 -8	7 <sup>1</sup> / <sub>2</sub>	6 <sup>5</sup> / <sub>8</sub>	9ASH1J2A0	9SH2J51A0	9ASH1J5A0	9SH2J52A0
		7 <sup>1</sup> / <sub>8</sub>	10ASH1K2E0	10SH2K51E0	10ASH1K5E0	10SH2K52E0
		7 <sup>3</sup> / <sub>8</sub>	10ASH1K2D0	10SH2K51D0	10ASH1K5D0	10SH2K52D0
	10	7 <sup>11</sup> / <sub>16</sub>	10ASH1K2C0	10SH2K51C0	10ASH1K5C0	10SH2K52C0
		8 <sup>1</sup> / <sub>16</sub>	10ASH1L2B0	10SH2L51B0	10ASH1L5B0	10SH2L52B0
		8 <sup>27</sup> / <sub>64</sub>	10ASH1L2A0	10SH2L51A0	10ASH1L5A0	10SH2L52A0
1 x 2 -10	15	8 <sup>3</sup> / <sub>4</sub>	11ASH1M2D0	11SH2M51D0	11ASH1M5D0	11SH2M52D0
		9 <sup>1</sup> / <sub>8</sub>	11ASH1M2C0	11SH2M51C0	11ASH1M5C0	11SH2M52C0
	20	9 <sup>17</sup> / <sub>32</sub>	11ASH1N2B0	11SH2N51B0	11ASH1N5B0	11SH2N52B0
1 <sup>1</sup> / <sub>2</sub> x 2 <sup>1</sup> / <sub>2</sub> -6	2	10 <sup>3</sup> / <sub>32</sub>	11ASH1N2A0	11SH2N51A0	11ASH1N5A0	11SH2N52A0
		4 <sup>3</sup> / <sub>16</sub>	4SH1G2H0	4SH2G51H0	4SH1H5F0	4SH2H52F0
	3	4 <sup>11</sup> / <sub>16</sub>	4SH1H2F0	4SH2H51F0	4SH1J5D0	4SH2J52D0
	5	5 <sup>5</sup> / <sub>8</sub>	4SH1J2D0	4SH2J51D0	4SH1K5B0	4SH2K52B0
	7 <sup>1</sup> / <sub>2</sub>	6 <sup>3</sup> / <sub>8</sub>	4SH1K2B0	4SH2K51B0	4SH1L5A0	4SH2L52A0
1 <sup>1</sup> / <sub>2</sub> x 2 <sup>1</sup> / <sub>2</sub> -8	10	6 <sup>3</sup> / <sub>4</sub>	4SH1L2A0	4SH2L51A0	7SH1K5E0	7SH2K52E0
	7 <sup>1</sup> / <sub>2</sub>	6 <sup>7</sup> / <sub>16</sub>	7SH1K2E0	7SH2K51E0	7SH1L5C0	7SH2L52C0
	10	7	7SH1L2C0	7SH2L51C0	7SH1M5A0	7SH2M52A0
2 x 2 <sup>1</sup> / <sub>2</sub> -6	5	8 <sup>1</sup> / <sub>4</sub>	7SH1M2A0	7SH2M51A0	5SH1J5G0	5SH2J52G0
		4 <sup>7</sup> / <sub>16</sub>	5SH1J2G0	5SH2J51G0	5SH1K5E0	5SH2K52E0
	7 <sup>1</sup> / <sub>2</sub>	5 <sup>1</sup> / <sub>8</sub>	5SH1K2E0	5SH2K51E0	5SH1L5C0	5SH2L52C0
2 x 2 <sup>1</sup> / <sub>2</sub> -8	10	5 <sup>13</sup> / <sub>16</sub>	5SH1L2C0	5SH2L51C0	5SH1M5A0	5SH2M52A0
		6 <sup>3</sup> / <sub>8</sub>	5SH1M2A0	5SH2M51A0	8SH1L5F0	8SH2L52F0
	15	7 <sup>3</sup> / <sub>16</sub>	8SH1M2D0	8SH2M51D0	8SH1M5D0	8SH2M52D0
2 <sup>1</sup> / <sub>2</sub> x 3 -6	20	7 <sup>3</sup> / <sub>4</sub>	8SH1N2B0	8SH2N51B0	8SH1N5B0	8SH2N52B0
		8 <sup>1</sup> / <sub>4</sub>	8SH1P2A0	8SH2P41A0		8SH2P52A0
	25	8 <sup>1</sup> / <sub>4</sub>	8SH1P2A0	8SH2P41A0		8SH2P52A0
2 <sup>1</sup> / <sub>2</sub> x 3 -6	10	5 <sup>5</sup> / <sub>8</sub>	6SH1L2G0	6SH2L51G0	6SH1L5G0	6SH2L52G0
		6 <sup>3</sup> / <sub>8</sub>	6SH1M2E0	6SH2M51E0	6SH1M5E0	6SH2M52E0
	15	6 <sup>15</sup> / <sub>16</sub>	6SH1N2C0	6SH2N51C0	6SH1N5C0	6SH2N52C0
		7 <sup>5</sup> / <sub>16</sub>	6SH1P2A0	6SH2P41A0		6SH2P52A0

**SSH-C, Close-Coupled S-Group, 1750 RPM Models 1-3 HP, 60 Hz, 1.15 SF**

Model/Size	HP	Stock Impeller Dia. (Inches)	Single-Phase			
			ODP		TEFC	
			Old Code	New Code	Old Code	New Code
1 x 2 -6	1/2	5/8	9ASH2C1D0	9SH3C11D0	9ASH2C4D0	9SH3C12D0
		5 11/16	9ASH2C1C0	9SH3C11C0	9ASH2C4C0	9SH3C12C0
	3/4	6 7/16	9ASH2D1B0	9SH3D11B0	9ASH2D4B0	9SH3D12B0
		6 5/8	9ASH2D1A0	9SH3D11A0	9ASH2D4A0	9SH3D12A0
1 x 2 -8	3/4	7 1/8	10ASH2D1E0	10SH3D11E0	10ASH2D4E0	10SH3D12E0
		7 3/8	10ASH2D1D0	10SH3D11D0	10ASH2D4D0	10SH3D12D0
	1	7 11/16	10ASH2E1C0	10SH3E11C0	10ASH2E4C0	10SH3E12C0
		8 1/16	10ASH2F1B0	10SH3F11B0	10ASH2F4B0	10SH3F12B0
1 1/2	8 27/64	10ASH2F1A0	10SH3F11A0	10ASH2F4A0	10SH3F12A0	
	2	8 3/4	11ASH2G1D0	11SH3G11D0	11ASH2G4D0	11SH3G12D0
2		9 1/8	11ASH2G1C0	11SH3G11C0	11ASH2G4C0	11SH3G12C0
	3	9 17/32	11ASH2H1B0	11SH3H11B0	11ASH2H4B0	11SH3H12B0
10 3/32		11ASH2H1A0	11SH3H11A0	11ASH2H4A0	11SH3H12A0	
1 1/2 x 2 1/2 -6	1	6 3/8	4SH2E1B0	4SH3E11B0	4SH2E4B0	4SH3E12B0
	1 1/2	6 3/4	4SH2F1A0	4SH3F11A0	4SH2F4A0	4SH3F12A0
1 1/2 x 2 1/2 -8	1	6 7/16	7SH2E1E0	7SH3E11E0	7SH2E4E0	7SH3E12E0
	1 1/2	7	7SH2F1C0	7SH3F11C0	7SH2F4C0	7SH3F12C0
	2	8 1/4	7SH2G1A0	7SH3G11A0	7SH2G4A0	7SH3G12A0
2 x 2 1/2 -6	3/4	4 7/16	5SH2D1G0	5SH3D11G0	5SH2D4G0	5SH3D12G0
		1	5 1/8	5SH2E1E0	5SH3E11E0	5SH2E4E0
	1 1/2	5 13/16	5SH2F1C0	5SH3F11C0	5SH2F4C0	5SH3F12C0
		2	5SH2G1A0	5SH3G11A0	5SH2G4A0	5SH3G12A0
2 x 2 1/2 -8	1 1/2	6 7/8	8SH2F1E0	8SH3F11E0	8SH2F4E0	8SH3F12E0
			8SH2G1C0	8SH3G11C0	8SH2G4C0	8SH3G12C0
	2	8 1/4	8SH2H1A0	8SH3H11A0	8SH2H4A0	8SH3H12A0
2 1/2 x 3 -6	1 1/2	5 3/8	6SH2F1G0	6SH3F11G0	6SH2F4G0	6SH3F12G0
	2	6 3/8	6SH2G1E0	6SH3G11E0	6SH2G4E0	6SH3G12E0
	3	7 1/16	6SH2H1A0	6SH3H11A0	6SH2H4A0	6SH3H12A0

Model/Size	HP	Stock Impeller Dia. (Inches)	Three-Phase			
			ODP		TEFC	
			Old Code	New Code	Old Code	New Code
1 x 2 -6	1/2	5/8	9ASH2C2D0	9SH4C51D0	9ASH2C5D0	9SH4C52D0
		5 11/16	9ASH2C2C0	9SH4C51C0	9ASH2C5C0	9SH4C52C0
	3/4	6 7/16	9ASH2D2B0	9SH4D51B0	9ASH2D5B0	9SH4D52B0
		6 5/8	9ASH2D2A0	9SH4D51A0	9ASH2D5A0	9SH4D52A0
1 x 2 -8	3/4	7 1/8	10ASH2D2E0	10SH4D51E0	10ASH2D5E0	10SH4D52E0
		7 3/8	10ASH2D2D0	10SH4D51D0	10ASH2D5D0	10SH4D52D0
	1	7 11/16	10ASH2E2C0	10SH4E51C0	10ASH2E5C0	10SH4E52C0
		8 1/16	10ASH2F2B0	10SH4F51B0	10ASH2F5B0	10SH4F52B0
1 1/2	8 27/64	10ASH2F2A0	10SH4F51A0	10ASH2F5A0	10SH4F52A0	
	2	8 3/4	11ASH2G2D0	11SH4G51D0	11ASH2G5D0	11SH4G52D0
2		9 1/8	11ASH2G2C0	11SH4G51C0	11ASH2G5C0	11SH4G52C0
	3	9 17/32	11ASH2H2B0	11SH4H51B0	11ASH2H5B0	11SH4H52B0
10 3/32		11ASH2H2A0	11SH4H51A0	11ASH2H5A0	11SH4H52A0	
1 1/2 x 2 1/2 -6	1	6 3/8	4SH2E2B0	4SH4E51B0	4SH2E5B0	4SH4E52B0
	1 1/2	6 3/4	4SH2F2A0	4SH4F51A0	4SH2F5A0	4SH4F52A0
1 1/2 x 2 1/2 -8	1	6 7/16	7SH2E2E0	7SH4E51E0	7SH2E5E0	7SH4E52E0
	1 1/2	7	7SH2F2C0	7SH4F51C0	7SH2F5C0	7SH4F52C0
	2	8 1/4	7SH2G2A0	7SH4G51A0	7SH2G5A0	7SH4G52A0
2 x 2 1/2 -6	3/4	4 7/16	5SH2D2G0	5SH4D51G0	5SH2D5D0	5SH4D52G0
		1	5 1/8	5SH2E2E0	5SH4E51E0	5SH2E5E0
	1 1/2	5 13/16	5SH2F2C0	5SH4F51C0	5SH2F5C0	5SH4F52C0
		2	6 7/8	5SH2G2A0	5SH4G51A0	5SH2G5A0
2 x 2 1/2 -8	1 1/2	8SH2F2E0		8SH4F51E0	8SH2F5E0	8SH4F52E0
2 x 2 1/2 -8	2	7 1/2	8SH2G2C0	8SH4G51C0	8SH2G5C0	8SH4G52C0
	3	8 1/4	8SH2H2A0	8SH4H51A0	8SH2H5A0	8SH4H52A0
2 1/2 x 3 -6	1 1/2	5 3/8	6SH2F2G0	6SH4F51G0	6SH2F5G0	6SH4F52G0
	2	6 3/8	6SH2G2E0	6SH4G51E0	6SH2G5E0	6SH4G52E0
	3	7 1/16	6SH2H2A0	6SH4H51A0	6SH2H5A0	6SH4H52A0

BARE PUMP LIST PRICES

Pump Size	Impeller Diameter (inches)	Max. BHP Load at RPM		Old Code	New Code	Wt. (lbs.)
		1750	3500			
1 x 2 -6	5 <sup>3</sup> / <sub>8</sub>	.5	3	9ASHFRMD0	9SHFRM2D0	62
	5 <sup>11</sup> / <sub>16</sub>	.5	3.5	9ASHFRMCO	9SHFRM2CO	
	6 <sup>7</sup> / <sub>16</sub>	.65	5	9ASHFRMB0	9SHFRM2B0	
	6 <sup>5</sup> / <sub>8</sub>	.75	5.3	9ASHFRMA0	9SHFRM2A0	
1 x 2 -8	7 <sup>1</sup> / <sub>8</sub>	.75	6.6	10ASHFRME0	10SHFRM2E0	70
	7 <sup>3</sup> / <sub>8</sub>	.85	7.5	10ASHFRMD0	10SHFRM2D0	
	7 <sup>11</sup> / <sub>16</sub>	1	8	10ASHFRMCO	10SHFRM2CO	
	8 <sup>1</sup> / <sub>16</sub>	1.3	10	10ASHFRMB0	10SHFRM2B0	
	8 <sup>27</sup> / <sub>64</sub>	1.5	11.1	10ASHFRMA0	10SHFRM2A0	
1 x 2 -10	8 <sup>3</sup> / <sub>4</sub>	1.6	13.9	11ASHFRMD0	11SHFRM2D0	83
	9 <sup>1</sup> / <sub>8</sub>	1.9	15	11ASHFRMCO	11SHFRM2CO	
	9 <sup>17</sup> / <sub>32</sub>	2.4	18.1	11ASHFRMB0	11SHFRM2B0	
	10 <sup>3</sup> / <sub>32</sub>	3.1	20.5	11ASHFRMA0	11SHFRM2A0	
1 1/2 x 2 1/2 -6	3 <sup>7</sup> / <sub>8</sub>	.5	2	4SHFRMJ0	4SHFRM2J0	62
	4 <sup>3</sup> / <sub>16</sub>	.5	2.1	4SHFRMH0	4SHFRM2H0	
	4 <sup>3</sup> / <sub>8</sub>	.5	3	4SHFRMG0	4SHFRM2G0	
	4 <sup>11</sup> / <sub>16</sub>	.5	3.2	4SHFRMF0	4SHFRM2F0	
	5 <sup>5</sup> / <sub>16</sub>	.6	5	4SHFRME0	4SHFRM2E0	
	5 <sup>3</sup> / <sub>8</sub>	.75	5.2	4SHFRMD0	4SHFRM2D0	
	6 <sup>1</sup> / <sub>16</sub>	.8	7.5	4SHFRMCO	4SHFRM2CO	
	6 <sup>3</sup> / <sub>8</sub>	1	7.8	4SHFRMB0	4SHFRM2B0	
6 <sup>3</sup> / <sub>4</sub>	1.1	10	4SHFRMA0	4SHFRM2A0		
1 1/2 x 2 1/2 -8	6 <sup>1</sup> / <sub>8</sub>	1	7.5	7SHFRMF0	7SHFRM2F0	71
	6 <sup>7</sup> / <sub>16</sub>	1.1	7.7	7SHFRME0	7SHFRM2E0	
	6 <sup>3</sup> / <sub>4</sub>	1.5	10	7SHFRMD0	7SHFRM2D0	
	7	1.5	10.5	7SHFRMCO	7SHFRM2CO	
	7 <sup>13</sup> / <sub>16</sub>	1.7	15	7SHFRMB0	7SHFRM2B0	
	8 <sup>1</sup> / <sub>4</sub>	2	16	7SHFRMA0	7SHFRM2A0	
2 x 2 1/2 -6	4 <sup>7</sup> / <sub>16</sub>	.6	5.2	5SHFRMG0	5SHFRM2G0	96
	4 <sup>13</sup> / <sub>16</sub>	.75	7.5	5SHFRMF0	5SHFRM2F0	
	5 <sup>1</sup> / <sub>8</sub>	1	7.9	5SHFRME0	5SHFRM2E0	
	5 <sup>1</sup> / <sub>2</sub>	1.1	10	5SHFRMD0	5SHFRM2D0	
	5 <sup>13</sup> / <sub>16</sub>	1.2	11	5SHFRMCO	5SHFRM2CO	
	6 <sup>1</sup> / <sub>16</sub>	1.6	15	5SHFRMB0	5SHFRM2B0	
	6 <sup>7</sup> / <sub>8</sub>	2	16	5SHFRMA0	5SHFRM2A0	
2 x 2 1/2 -8	6 <sup>3</sup> / <sub>16</sub>	1.5	11	8SHFRMF0	8SHFRM2F0	72
	6 <sup>7</sup> / <sub>8</sub>	1.6	15	8SHFRME0	8SHFRM2E0	
	7 <sup>3</sup> / <sub>16</sub>	2	16	8SHFRMD0	8SHFRM2D0	
	7 <sup>1</sup> / <sub>2</sub>	2.2	20	8SHFRMCO	8SHFRM2CO	
	7 <sup>3</sup> / <sub>4</sub>	2.2	22	8SHFRMB0	8SHFRM2B0	
	8 <sup>1</sup> / <sub>4</sub>	3	25	8SHFRMA0	8SHFRM2A0	
2 1/2 x 3 -6	5 <sup>3</sup> / <sub>8</sub>	1.5	12	6SHFRMG0	6SHFRM2G0	65
	6 <sup>1</sup> / <sub>16</sub>	2	15	6SHFRMF0	6SHFRM2F0	
	6 <sup>3</sup> / <sub>8</sub>	2.3	17	6SHFRME0	6SHFRM2E0	
	6 <sup>11</sup> / <sub>16</sub>	2.5	20	6SHFRMD0	6SHFRM2D0	
	6 <sup>15</sup> / <sub>16</sub>	2.8	22	6SHFRMCO	6SHFRM2CO	
	7 <sup>1</sup> / <sub>8</sub>	3.2	25	6SHFRMB0	6SHFRM2B0	
	7 <sup>5</sup> / <sub>16</sub>	3.4	28	6SHFRMA0	6SHFRM2A0	

24 SH 1 G 2 A 0

**MECHANICAL SEAL and O-RING**

0 = Standard

For Optional Mechanical Seal modify catalog order no. with Seal code listed below.

For frame mounted units use seal option for 254 frame size.

Type 21 Mechanical Seal								
Seal Code	Rotary	Stationary	Elastomers	Metal Parts	Part No.		List Price Adder	
					180-210 Frames	250-360 Frames	No Adder	No Adder
0	Carbon	Sil-Carbide	Viton	316 S.S.	10K27	10K45	No Adder	No Adder
2		Sil-Carbide	EPR		10K19	10K20	\$50.00	\$50.00
5	Sil-Carbide	Sil-Carbide	Viton		10K64	10K65	150.00	150.00

Note: 10K27 Replaces obsolete 10K13 & 10K25.

10H45 Replaces obsolete 10K16 & 10K26.

**IMPELLER OPTION CODE...**

For Optional Impeller Diameters modify catalog order no. with Impeller code listed below.

Selection must be within motor service factor @ curve end.

Impeller Code	Pump Size					
	22SH *	23SH *	24SH	25SH	27SH *	28SH *
	2½ x 3 - 8	3 x 4 - 8	1½ x 2½ - 10	2 x 2½ - 10	2½ x 3 - 10	3 x 4 - 10
	Diameter	Diameter	Diameter	Diameter	Diameter	Diameter
A	9 <sup>1</sup> / <sub>16</sub>	9 <sup>1</sup> / <sub>16</sub>	9 <sup>7</sup> / <sub>8</sub>	9 <sup>7</sup> / <sub>8</sub>	10 <sup>3</sup> / <sub>8</sub>	10 <sup>3</sup> / <sub>8</sub>
B	8 <sup>3</sup> / <sub>4</sub>	8 <sup>11</sup> / <sub>16</sub>	9 <sup>1</sup> / <sub>2</sub>	9 <sup>1</sup> / <sub>2</sub>	9 <sup>15</sup> / <sub>16</sub>	10 <sup>1</sup> / <sub>4</sub>
C	8 <sup>1</sup> / <sub>2</sub>	8 <sup>7</sup> / <sub>16</sub>	9 <sup>3</sup> / <sub>16</sub>	9 <sup>1</sup> / <sub>8</sub>	9 <sup>9</sup> / <sub>16</sub>	9 <sup>13</sup> / <sub>16</sub>
D	8 <sup>1</sup> / <sub>4</sub>	8 <sup>1</sup> / <sub>16</sub>	8 <sup>7</sup> / <sub>8</sub>	8 <sup>13</sup> / <sub>16</sub>	9 <sup>1</sup> / <sub>4</sub>	9 <sup>7</sup> / <sub>16</sub>
E	7 <sup>7</sup> / <sub>8</sub>	7 <sup>11</sup> / <sub>16</sub>	8 <sup>9</sup> / <sub>16</sub>	8 <sup>3</sup> / <sub>16</sub>	8 <sup>3</sup> / <sub>4</sub>	9 <sup>1</sup> / <sub>16</sub>
F	7 <sup>1</sup> / <sub>2</sub>	7 <sup>1</sup> / <sub>2</sub>	8 <sup>1</sup> / <sub>4</sub>	7 <sup>15</sup> / <sub>16</sub>		8 <sup>11</sup> / <sub>16</sub>
G	7 <sup>1</sup> / <sub>8</sub>	7 <sup>1</sup> / <sub>8</sub>		7 <sup>11</sup> / <sub>16</sub>		
H	6 <sup>11</sup> / <sub>16</sub>	6 <sup>7</sup> / <sub>8</sub>				
J	6 <sup>1</sup> / <sub>2</sub>	6 <sup>1</sup> / <sub>2</sub>				
K		6				
L		5 <sup>1</sup> / <sub>2</sub>				

**DRIVER**

- |                     |                      |                             |
|---------------------|----------------------|-----------------------------|
| 1 = 1 PH, ODP       | 4 = 1 PH, TEFC       | 7 = 3 PH, XP                |
| 2 = 3 PH, ODP       | 5 = 3 PH, TEFC       | 8 = 3 PH 575 V, XP          |
| 3 = 3 PH 575 V, ODP | 6 = 3 PH 575 V, TEFC | 9 = 3 PH, TEFC Premium Eff. |

**HP RATING**

- |           |           |           |            |
|-----------|-----------|-----------|------------|
| E = 1 HP  | J = 5 HP  | N = 20 HP | S = 50 HP  |
| F = 1½ HP | K = 7½ HP | P = 25 HP | T = 60 HP  |
| G = 2 HP  | L = 10 HP | Q = 30 HP | U = 75 HP  |
| H = 3 HP  | M = 15 HP | R = 40 HP | V = 100 HP |

**DRIVER: HERTZ/POLE/RPM**

- 1 = 60 HZ, 2 pole, 3500 RPM
- 2 = 60 HZ, 4 pole, 1750 RPM
- 3 = 60 HZ, 6 pole, 1150 RPM
- 4 = 50 HZ, 2 pole, 2900 RPM
- 5 = 50 HZ, 4 pole, 1450 RPM

**MATERIAL**

SH = Stainless steel

**PUMP SIZE**

- 22 = 2½ x 3 - 8
- 23 = 3 x 4 - 8
- 24 = 1½ x 2½ - 10
- 25 = 2 x 2½ - 10
- 27 = 2½ x 3 - 10
- 28 = 3 x 4 - 10

For frame mounted pumps substitute the letters "FRM"

Note: Not all combinations of motor, impeller and seal options are available for every pump model. Please check with G&L pumps on non-cataloged numbers.

\*Impellers are cast Stainless Steel



24 SH 1 G 1 2 A 0

**MECHANICAL SEAL and O-RING**

0 = Standard

For Optional Mechanical Seal modify catalog order no. with Seal code listed below.

For frame mounted units use seal option for 254 frame size.

Type 21 Mechanical Seal								
Seal Code	Rotary	Stationary	Elastomers	Metal Parts	Part No.		List Price Adder	
					180-210 Frames	250-360 Frames	No Adder	No Adder
0	Carbon	Sil-Carbide	Viton	316 S.S.	10K27	10K45	No Adder	No Adder
2		Sil-Carbide	EPR		10K19	10K20	\$50.00	\$50.00
5	Sil-Carbide	Sil-Carbide	Viton		10K64	10K65	150.00	150.00

**IMPELLER OPTION CODE...**

For Optional Impeller Diameters modify catalog order no. with Impeller code listed below.

Selection must be within motor service factor @ curve end.

Impeller Code	Pump Size					
	22SH *	23SH *	24SH	25SH	27SH *	28SH *
	2½ x 3 - 8 Diameter	3 x 4 - 8 Diameter	1½ x 2½ - 10 Diameter	2 x 2½ - 10 Diameter	2½ x 3 - 10 Diameter	3 x 4 - 10 Diameter
A	9 <sup>1</sup> / <sub>16</sub>	9 <sup>1</sup> / <sub>16</sub>	9 <sup>7</sup> / <sub>8</sub>	9 <sup>7</sup> / <sub>8</sub>	10 <sup>3</sup> / <sub>8</sub>	10 <sup>3</sup> / <sub>8</sub>
B	8 <sup>3</sup> / <sub>4</sub>	8 <sup>11</sup> / <sub>16</sub>	9 <sup>1</sup> / <sub>2</sub>	9 <sup>1</sup> / <sub>2</sub>	9 <sup>15</sup> / <sub>16</sub>	10 <sup>1</sup> / <sub>4</sub>
C	8 <sup>1</sup> / <sub>2</sub>	8 <sup>7</sup> / <sub>16</sub>	9 <sup>3</sup> / <sub>16</sub>	9 <sup>1</sup> / <sub>8</sub>	9 <sup>9</sup> / <sub>16</sub>	9 <sup>13</sup> / <sub>16</sub>
D	8 <sup>1</sup> / <sub>4</sub>	8 <sup>1</sup> / <sub>16</sub>	8 <sup>7</sup> / <sub>8</sub>	8 <sup>13</sup> / <sub>16</sub>	9 <sup>1</sup> / <sub>4</sub>	9 <sup>7</sup> / <sub>16</sub>
E	7 <sup>7</sup> / <sub>8</sub>	7 <sup>11</sup> / <sub>16</sub>	8 <sup>9</sup> / <sub>16</sub>	8 <sup>3</sup> / <sub>16</sub>	8 <sup>3</sup> / <sub>4</sub>	9 <sup>1</sup> / <sub>16</sub>
F	7 <sup>1</sup> / <sub>2</sub>	7 <sup>1</sup> / <sub>2</sub>	8 <sup>1</sup> / <sub>4</sub>	7 <sup>15</sup> / <sub>16</sub>		8 <sup>11</sup> / <sub>16</sub>
G	7 <sup>1</sup> / <sub>8</sub>	7 <sup>1</sup> / <sub>8</sub>		7 <sup>11</sup> / <sub>16</sub>		
H	6 <sup>11</sup> / <sub>16</sub>	6 <sup>7</sup> / <sub>8</sub>				
J	6 <sup>1</sup> / <sub>2</sub>	6 <sup>1</sup> / <sub>2</sub>				
K		6				
L		5 <sup>1</sup> / <sub>2</sub>				

**DRIVER ENCLOSURE**

1 = ODP

2 = TEFC

3 = Explosion Proof

4 = ODP Premium Eff.

5 = TEFC Premium Eff.

6 = Explosion Proof Premium Eff.

7 = Wash down

**VOLTAGE RATING**

1 = 115/208-230

2 = 115/230

3 = 230

4 = 230/460

5 = 208-230/460

6 = 460

7 = 575

9 = 208-230

A = 190/380-415

**HP RATING**

E = 1 HP

F = 1½ HP

G = 2 HP

H = 3 HP

J = 5 HP

K = 7½ HP

L = 10 HP

M = 15 HP

N = 20 HP

P = 25 HP

Q = 30 HP

R = 40 HP

S = 50 HP

T = 60 HP

U = 75 HP

V = 100 HP

For frame mounted pumps substitute the letters "FRM3"

**DRIVER: Phase/Hertz/RPM**

1 = 1 Ph, 60 Hz, 3500 RPM

2 = 3 Ph, 60 Hz, 3500 RPM

3 = 1 Ph, 60 Hz, 1750 RPM

4 = 3 Ph, 60 Hz, 1750 RPM

5 = 1 Ph, 50 Hz, 2900 RPM

6 = 3 Ph, 50 Hz, 2900 RPM

**MATERIAL**

SH = Stainless steel

**PUMP SIZE**

22 = 2½ x 3 - 8

23 = 3 x 4 - 8

24 = 1½ x 2½ - 10

25 = 2 x 2½ - 10

27 = 2½ x 3 - 10

28 = 3 x 4 - 10

**Note:** Not all combinations of motor, impeller and seal options are available for every pump model. Please check with G&L pumps on non-cataloged numbers.

\*Impellers are cast Stainless Steel

**SSH-C, Close-Coupled M-Group, 3500 RPM Models 15-100 HP, 60 Hz, 1.15 SF**

Model/Size	HP	Stock Impeller Dia. (Inches)	Three-Phase			
			ODP		TEFC	
			Old Code	New Code	Old Code	New Code
1½ x 2½ -10	20	8¼	24SH1N2F0	24SH2N51F0	24SH1N5F0	24SH2N52F0
		8 <sup>9</sup> / <sub>16</sub>	24SH1N2E0	24SH2N51E0	24SH1N5E0	24SH2N52E0
	25	8 <sup>7</sup> / <sub>8</sub>	24SH1P2D0	24SH2P51D0	24SH1P5D0	24SH2P52D0
		9 <sup>3</sup> / <sub>16</sub>	24SH1P2C0	24SH2P51C0	24SH1P5C0	24SH2P52C0
	30	9½	24SH1Q2B0	24SH2Q51B0	24SH1Q5B0	24SH2Q52B0
		9 <sup>7</sup> / <sub>8</sub>	24SH1Q2A0	24SH2Q51A0	24SH1Q5A0	24SH2Q52A0
2 x 2½ -10	25	7 <sup>11</sup> / <sub>16</sub>	25SH1P2G0	25SH2P51G0	25SH1P5G0	25SH2P52G0
		7 <sup>15</sup> / <sub>16</sub>	25SH1P2F0	25SH2P51F0	25SH1P5F0	25SH2P52F0
	30	8 <sup>3</sup> / <sub>16</sub>	25SH1Q2E0	25SH2Q51E0	25SH1Q5E0	25SH2Q52E0
		8 <sup>19</sup> / <sub>16</sub>	25SH1Q2D0	25SH2Q51D0	25SH1Q5D0	25SH2Q52D0
	40	9 <sup>1</sup> / <sub>8</sub>	25SH1R2C0	25SH2R51C0	25SH1R5C0	25SH2R52C0
		9½	25SH1R2B0	25SH2R51B0	25SH1R5B0	25SH2R52B0
50	9 <sup>7</sup> / <sub>8</sub>	25SH1S2A0	25SH2S41A0	25SH1S5A0	25SH2S52A0	
2½ x 3 -8	20	6½	22SH1N2J0	22SH2N51J0	22SH1N5J0	22SH2N52J0
		6 <sup>1</sup> / <sub>16</sub>	22SH1N2H0	22SH2N51H0	22SH1N5H0	22SH2N52H0
	25	7 <sup>1</sup> / <sub>8</sub>	22SH1P2G0	22SH2P51G0	22SH1P5G0	22SH2P52G0
	30	7½	22SH1Q2F0	22SH2Q51F0	22SH1Q5F0	22SH2Q52F0
		7 <sup>7</sup> / <sub>8</sub>	22SH1R2E0	22SH2R51E0	22SH1R5E0	22SH2R52E0
	40	8¼	22SH1R2D0	22SH2R51D0	22SH1R5D0	22SH2R52D0
		8½	22SH1S2C0	22SH2S41C0	22SH1S5C0	22SH2S52C0
	50	8 <sup>3</sup> / <sub>4</sub>	22SH1S2B0	22SH2S41B0	22SH1S5B0	22SH2S52B0
60	9 <sup>1</sup> / <sub>16</sub>	22SH1T2A0	22SH2T41A0	22SH1T5A0	22SH2T52A0	
3 x 4 -8	15	5½	23SH1M2L0	23SH2M51L0	23SH1M5L0	23SH2M52L0
	20	6	23SH1N2K0	23SH2N51K0	23SH1N5K0	23SH2N52K0
	25	6½	23SH1P2J0	23SH2P51J0	23SH1P5J0	23SH2P52J0
	30	6 <sup>7</sup> / <sub>8</sub>	23SH1Q2H0	23SH2Q51H0	23SH1Q5H0	23SH2Q52H0
		7 <sup>1</sup> / <sub>8</sub>	23SH1R2G0	23SH2R51G0	23SH1R5G0	23SH2R52G0
	40	7½	23SH1R2F0	23SH2R51F0	23SH1R5F0	23SH2R52F0
		7 <sup>11</sup> / <sub>16</sub>	23SH1S2E0	23SH2S41E0	23SH1S5E0	23SH2S52E0
	50	8 <sup>1</sup> / <sub>16</sub>	23SH1S2D0	23SH2S41D0	23SH1S5D0	23SH2S52D0
	60	8 <sup>7</sup> / <sub>16</sub>	23SH1T2C0	23SH2T41C0	23SH1T5C0	23SH2T52C0
		8 <sup>11</sup> / <sub>16</sub>	23SH1U2B0	23SH2U41B0	23SH1U5B0	23SH2U42B0
75	9 <sup>1</sup> / <sub>16</sub>	23SH1U2A0	23SH2U41A0	23SH1U5A0	23SH2U42A0	
2½ x 3 -10	50	8 <sup>3</sup> / <sub>4</sub>	27SH1S2E0	27SH2S41E0	27SH1S5E0	27SH2S52E0
	60	9¼	27SH1T2D0	27SH2T41D0	27SH1T5D0	27SH2T52D0
		9 <sup>9</sup> / <sub>16</sub>	27SH1U2C0	27SH2U41C0	27SH1U5C0	27SH2U62C0
	75	9 <sup>15</sup> / <sub>16</sub>	27SH1U2B0	27SH2U41B0	27SH1U5B0	27SH2U62B0
		10 <sup>3</sup> / <sub>8</sub>	27SH1V2A0	27SH2V61A0	27SH1V5A0	27SH2V62A0
3 x 4 -10	75	8 <sup>11</sup> / <sub>16</sub>	28SH1U2F0	28SH2U41F0	28SH1U5F0	28SH2U62F0
		9 <sup>1</sup> / <sub>16</sub>	28SH1U2E0	28SH2U41E0	28SH1U5E0	28SH2U62E0
	100	9 <sup>7</sup> / <sub>16</sub>	28SH1V2D0	28SH2V61D0	28SH1V5D0	28SH2V62D0
		9 <sup>13</sup> / <sub>16</sub>	28SH1V2C0	28SH2V61C0	28SH1V5C0	28SH2V62C0

**SSH-C, Close-Coupled M-Group, 1750 RPM Models 2-20 HP, 60 Hz, 1.15 SF**

Model/Size	HP	Stock Impeller Dia. (Inches)	Single-Phase			
			ODP		TEFC	
			Old Code	New Code	Old Code	New Code
1½ x 2½ -10	2	8¼	24SH2G1F0	24SH3G11F0	24SH2G4F0	24SH3G12F0
		8 <sup>9</sup> / <sub>16</sub>	24SH2H1E0	24SH3H11E0	24SH2H4E0	24SH3H12E0
	3	8 <sup>7</sup> / <sub>8</sub>	24SH2H1D0	24SH3H11D0	24SH2H4D0	24SH3H12D0
		9 <sup>9</sup> / <sub>16</sub>	24SH2H1C0	24SH3H11C0	24SH2H4C0	24SH3H12C0
		9½	24SH2J1B0	24SH3J1B0	24SH2J4B0	24SH3J2B0
	2 x 2½ -10	3	9 <sup>7</sup> / <sub>8</sub>	24SH2J1A0	24SH3J1A0	24SH2J4A0
7 <sup>11</sup> / <sub>16</sub>			25SH2H1G0	25SH3H11G0	25SH2H4G0	25SH3H12G0
7 <sup>15</sup> / <sub>16</sub>			25SH2H1F0	25SH3H11F0	25SH2H4F0	25SH3H12F0
5		8	25SH2H1E0	25SH3H11E0	25SH2H4E0	25SH3H12E0
		8 <sup>19</sup> / <sub>16</sub>	25SH2J1D0	25SH3J1D0	25SH2J4D0	25SH3J2D0
		9 <sup>1</sup> / <sub>8</sub>	25SH2J1C0	25SH3J1C0	25SH2J4C0	25SH3J2C0
2½ x 3 -8	3	9½	25SH2J1B0	25SH3J1B0	25SH2J4B0	25SH3J2B0
		6 <sup>11</sup> / <sub>16</sub>	22SH2H1H0	22SH3H11H0	22SH2H4H0	22SH3H12H0
		7 <sup>1</sup> / <sub>8</sub>	22SH2H1G0	22SH3H11G0	22SH2H4G0	22SH3H12G0
	5	7 <sup>7</sup> / <sub>8</sub>	22SH2J1E0	22SH3J1E0	22SH2J4E0	22SH3J2E0
		8¼	22SH2J1D0	22SH3J1D0	22SH2J4D0	22SH3J2D0
		8½	22SH2J1C0	22SH3J1C0	22SH2J4C0	22SH3J2C0
3 x 4 -8	3	6½	23SH2H1J0	23SH3H11J0	23SH2H4J0	23SH3H12J0
		7 <sup>1</sup> / <sub>8</sub>	23SH2J1G0	23SH3J1G0	23SH2J4G0	23SH3J2G0
	5	7½	23SH2J1F0	23SH3J1F0	23SH2J4F0	23SH3J2F0

Model/Size	HP	Stock Impeller Dia. (Inches)	Three-Phase			
			ODP		TEFC	
			Old Code	New Code	Old Code	New Code
1½ x 2½ -10	2	8¼	24SH2G2F0	24SH4G51F0	24SH2G5F0	24SH4G52F0
		8 <sup>9</sup> / <sub>16</sub>	24SH2H2E0	24SH4H51E0	24SH2H5E0	24SH4H52E0
	3	8 <sup>7</sup> / <sub>8</sub>	24SH2H2D0	24SH4H51D0	24SH2H5D0	24SH4H52D0
		9 <sup>9</sup> / <sub>16</sub>	24SH2H2C0	24SH4H51C0	24SH2H5C0	24SH4H52C0
		9½	24SH2J2B0	24SH4J51B0	24SH2J5B0	24SH4J52B0
	2 x 2½ -10	5	9 <sup>7</sup> / <sub>8</sub>	24SH2J2A0	24SH4J51A0	24SH2J5A0
7 <sup>11</sup> / <sub>16</sub>			25SH2H2G0	25SH4H51G0	25SH2H5G0	25SH4H52G0
7 <sup>15</sup> / <sub>16</sub>			25SH2H2F0	25SH4H51F0	25SH2H5F0	25SH4H52F0
3		8 <sup>3</sup> / <sub>16</sub>	25SH2H2E0	25SH4H51E0	25SH2H5E0	25SH4H52E0
		8 <sup>19</sup> / <sub>16</sub>	25SH2J2D0	25SH4J51D0	25SH2J5D0	25SH4J52D0
		9 <sup>1</sup> / <sub>8</sub>	25SH2J2C0	25SH4J51C0	25SH2J5C0	25SH4J52C0
2½ x 3 -8	5	9½	25SH2J2B0	25SH4J51B0	25SH2J5B0	25SH4J52B0
		7½	25SH2K2A0	25SH4K51A0	25SH2K5A0	25SH4K52A0
		6 <sup>11</sup> / <sub>16</sub>	22SH2H2H0	22SH4H51H0	22SH2H5H0	22SH4H52H0
	3	7 <sup>1</sup> / <sub>8</sub>	22SH2H2G0	22SH4H51G0	22SH2H5G0	22SH4H52G0
		7 <sup>7</sup> / <sub>8</sub>	22SH2J2E0	22SH4J51E0	22SH2J5E0	22SH4J52E0
		8¼	22SH2J2D0	22SH4J51D0	22SH2J5D0	22SH4J52D0
3 x 4 -8	7½	8½	22SH2K2C0	22SH4K51C0	22SH2K5C0	22SH4K52C0
		9 <sup>1</sup> / <sub>16</sub>	22SH2K2A0	22SH4K51A0	22SH2K5A0	22SH4K52A0
		6½	23SH2H2J0	23SH4H51J0	23SH2H5J0	23SH4H52J0
	5	7 <sup>1</sup> / <sub>8</sub>	23SH2J2G0	23SH4J51G0	23SH2J5G0	23SH4J52G0
		7½	23SH2J2F0	23SH4J51F0	23SH2J5F0	23SH4J52F0
		8 <sup>1</sup> / <sub>16</sub>	23SH2K2D0	23SH4K51D0	23SH2K5D0	23SH4K52D0
2½ x 3 -10	7½	8 <sup>7</sup> / <sub>16</sub>	23SH2K2C0	23SH4K51C0	23SH2K5C0	23SH4K52C0
		9 <sup>1</sup> / <sub>16</sub>	23SH2L2A0	23SH4L51A0	23SH2L5A0	23SH4L52A0
		8¾			27SH2K5E0	27SH4K52E0
	10	9¼	27SH2K2D0	27SH4K51D0	27SH2K5D0	27SH4K52D0
		9 <sup>9</sup> / <sub>16</sub>	27SH2L2C0	27SH4L51C0	27SH2L5C0	27SH4L52C0
		9 <sup>15</sup> / <sub>16</sub>	27SH2L2B0	27SH4L51B0	27SH2L5B0	27SH4L52B0
3 x 4 -10	15	10 <sup>3</sup> / <sub>8</sub>	27SH2M2A0	27SH4M51A0	27SH2M5A0	27SH4M52A0
		9 <sup>7</sup> / <sub>16</sub>	28SH2M2D0	28SH4M51D0	28SH2M5D0	28SH4M52D0
		9 <sup>13</sup> / <sub>16</sub>	28SH2M2C0	28SH4M51C0	28SH2M5C0	28SH4M52C0
		10¼	28SH2M2B0	28SH4M51B0	28SH2M5B0	28SH4M52B0
20	10 <sup>5</sup> / <sub>8</sub>	28SH2N2A0	28SH4N41A0	28SH2N5A0	28SH4N42A0	

BARE PUMP LIST PRICES

Pump Size	Impeller Diameter (inches)	Max. BHP Load at RPM**		Old Code	New Code	Wt. (lbs.)	
		1750	3550				
1½ x 2½ -10	8¼	2.3	20	24SHFRMF0	24SHFRM3F0	156	
	8 <sup>9</sup> / <sub>16</sub>	2.6	22.5	24SHFRME0	24SHFRM3E0		
	8 <sup>7</sup> / <sub>8</sub>	3	24.7	24SHFRMD0	24SHFRM3D0		
	9 <sup>3</sup> / <sub>16</sub>	3.2	26	24SHFRMC0	24SHFRM3C0		
	9½	3.5	28.5	24SHFRMB0	24SHFRM3B0		
	9 <sup>7</sup> / <sub>8</sub>	4.8	33.5	24SHFRMA0	24SHFRM3A0		
2 x 2½ -10	7 <sup>11</sup> / <sub>16</sub>	3	24	25SHFRMG0	25SHFRM3G0		
	7 <sup>15</sup> / <sub>16</sub>	3.4	26	25SHFRMF0	25SHFRM3F0		
	8 <sup>3</sup> / <sub>16</sub>	3.8	27.5	25SHFRME0	25SHFRM3E0		
	8 <sup>13</sup> / <sub>16</sub>	4.8	33	25SHFRMD0	25SHFRM3D0		
	9 <sup>1</sup> / <sub>8</sub>	5	37	25SHFRMC0	25SHFRM3C0		
	9½	6.4	43	25SHFRMB0	25SHFRM3B0		
	9 <sup>7</sup> / <sub>8</sub>	7.3	50	25SHFRMA0	25SHFRM3A0		
2½ x 3 -8	6½		20	22SHFRMJ0	22SHFRM3J0		125
	6 <sup>11</sup> / <sub>16</sub>	2.8	22	22SHFRMH0	22SHFRM3H0		
	7 <sup>1</sup> / <sub>8</sub>	3.5	26	22SHFRMG0	22SHFRM3G0		
	7½		32	22SHFRMF0	22SHFRM3F0		
	7 <sup>7</sup> / <sub>8</sub>	5	39	22SHFRME0	22SHFRM3E0		
	8¼	6	44	22SHFRMD0	22SHFRM3D0		
	8½	7	49	22SHFRMC0	22SHFRM3C0		
	8 <sup>3</sup> / <sub>4</sub>		57.5	22SHFRMB0	22SHFRM3B0		
9 <sup>1</sup> / <sub>16</sub>	8.5	63	22SHFRMA0	22SHFRM3A0			
3 x 4 -8	5½		15	23SHFRML0	23SHFRM3L0	170	
	6		20	23SHFRMK0	23SHFRM3K0		
	6½	3.5	27	23SHFRMJ0	23SHFRM3J0		
	6 <sup>7</sup> / <sub>8</sub>		32	23SHFRMH0	23SHFRM3H0		
	7 <sup>1</sup> / <sub>8</sub>	4.5	39	23SHFRMG0	23SHFRM3G0		
	7½	5.5	45	23SHFRMF0	23SHFRM3F0		
	7 <sup>11</sup> / <sub>16</sub>		50	23SHFRME0	23SHFRM3E0		
	8 <sup>1</sup> / <sub>16</sub>	7	57	23SHFRMD0	23SHFRM3D0		
	8 <sup>7</sup> / <sub>16</sub>	8	69	23SHFRMC0	23SHFRM3C0		
8 <sup>11</sup> / <sub>16</sub>		74	23SHFRMB0	23SHFRM3B0			
9 <sup>1</sup> / <sub>16</sub>	11	86	23SHFRMA0	23SHFRM3A0			
2½ x 3 -10	8 <sup>3</sup> / <sub>4</sub>	7	52	27SHFRME0	27SHFRM3E0	134	
	9¼	8	62	27SHFRMD0	27SHFRM3D0		
	9 <sup>9</sup> / <sub>16</sub>	9	67	27SHFRMC0	27SHFRM3C0		
	9 <sup>15</sup> / <sub>16</sub>	10.5	78	27SHFRMB0	27SHFRM3B0		
	10 <sup>3</sup> / <sub>8</sub>	12.5	90	27SHFRMA0	27SHFRM3A0		
3 x 4 -10	8 <sup>11</sup> / <sub>16</sub>		75	28SHFRMF0	28SHFRM3F0	148	
	9 <sup>1</sup> / <sub>16</sub>		85	28SHFRME0	28SHFRM3E0		
	9 <sup>7</sup> / <sub>16</sub>	12	100	28SHFRMD0	28SHFRM3D0		
	9 <sup>13</sup> / <sub>16</sub>	14	115	28SHFRMC0	28SHFRM3C0		
	10¼	17.5		28SHFRMB0	28SHFRM3B0		
	10 <sup>5</sup> / <sub>8</sub>	20		28SHFRMA0	28SHFRM3A0		

Note: For Mechanical Seal and Impeller Options see Optional Equipment Price page.

**PSSHCO**

Goulds is a registered trademark of Goulds Pumps, Inc.  
and is used under license

Literature Code: Was PSSHCO

