

## SEALED STAINLESS STEEL CENTRIFUGAL PUMPS AP SERIES



**FINISH THOMPSON INC.**

[finishthompson.com](http://finishthompson.com)

PUMPING SOLUTIONS **AROUND THE WORLD**

Order Online: [www.PumpCatalog.com](http://www.PumpCatalog.com)


**FINISH THOMPSON INC.**

Rugged, compact AP Series AC horizontal pumps are available with FDA compliant materials and built to withstand the harshest chemical environments.



## AP SERIES

### Extra Tough for Demanding Applications

- Rugged, corrosion resistant 316 stainless steel construction
- Heavy gauge construction for superior chemical resistance and higher pipe loads
- Available in horizontal or vertical configurations
- FDA-compliant material option
- ATEX options (AC horizontal versions only)
- CE certified
- Cast iron motor adapter provides sturdy connections of motor to pump

### SPECIFICATIONS

#### Maximum Temperature:

- 300° F (149 C)

#### Maximum Specific Gravity:

- Over 1.8 with no impeller trim

#### High Working Pressure:

- Up to 100 psi (6.9 bar)

#### Viscosity:

- Over 1.5 cP



## AP SERIES INDUSTRIES

- General industry
- Metal working
- Food processing
- Pharmaceutical
- Breweries
- Landfills
- Municipal
- Equipment OEM's

## TYPICAL CHEMICALS

- Water (including RO, DI, waste)
- Cleaning solutions
- Light oils
- Heat transfer fluids
- Caustics
- Landfill leachate
- Salt solutions/brine
- Liquid fertilizers
- Solvents

## AC SERIES

### HORIZONTAL CENTRIFUGAL PUMPS



### AC SERIES FEATURES

- Close coupled design
- Standard, recessed, or high head impellers
- Multiple seal offerings
- NPT, BSP, flanged, or tri-clamp connections
- FKM, EPDM, PTFE, or FDA-compliant Buna o-rings
- Mounts to NEMA and IEC motor frames
- Back pullout design
- Secure V-clamp housing connection (AC8 models have bolted housing)

## AV/AK SERIES


### VERTICAL CENTRIFUGAL PUMPS




### AV/AK SERIES FEATURES

- Standard, recessed, or high head impellers
- Standard vertical or cantilevered design
- Carbon, FKM, or EPDM lower bushings (AV models)
- 316 stainless steel mounting plate and discharge pipe
- Mounts to NEMA motors
- Secure V-clamp housing connection (AC8 models have bolted housing)
- 12" (31 cm), 24" (61 cm), 36" (91 cm), and 46" (117 cm) lengths

### AC & AV/AK SERIES 60 Hz, 3450 rpm



### AC & AV/AK SERIES 50 Hz, 2900 rpm





OTHER GREAT PRODUCTS FROM FINISH THOMPSON



**UC SERIES**

ANSI DIMENSIONAL  
MAGNETIC DRIVE PUMPS



**DB & SP SERIES**

PREMIUM MAGNETIC  
DRIVE SEALLESS  
CENTRIFUGAL PUMPS



**DRUM/BARREL**

PORTABLE FLUID  
TRANSFER SOLUTIONS



**VKC SERIES**

VERTICAL MAGNETIC  
DRIVE SEALLESS  
CENTRIFUGAL PUMPS



**GP SERIES**

SEALED PLASTIC  
CENTRIFUGAL PUMPS



**MSKC SERIES**

MULTI-STAGE MAGNETIC  
DRIVE SEALLESS  
CENTRIFUGAL PUMPS



AFTERMARKET AODD  
PUMP REPLACEMENT  
PARTS



PREMIUM AODD PUMPS  
AVAILABLE 2016



finishthompson.com

**FINISH THOMPSON INC. - HEADQUARTERS**

921 Greengarden Road | Erie, PA 16501  
800.934.9384 | ph 814.455.4478 | fx 814.455.8518  
email fti@finishthompson.com

**FINISH THOMPSON INC. - EUROPE CENTER**

Otto-Hahn-Strasse 16 | Maintal, D-63477 Germany  
49 (0)6181-90878-0 | fx 49 (0)6181-90878-18  
email fti@finishthompson.com

Order Online: [www.PumpCatalog.com](http://www.PumpCatalog.com)